

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	271	(712/214).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 13:37
L2	440	(712/216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 13:37
L3	487	(712/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 13:37
L4	465	(712/218).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 13:37
L5	327	(712/220).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 13:37
L6	629	(712/245).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 13:38
L7	1	replay near4 tornado	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 13:38
L8	18	(replay or re?execute or reissue) near4 instruction\$1 near4 loop\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 13:38
S1	1	("20030126405").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 10:45
S2	2	replay near4 tornado\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 10:54

S3	14	(replay or re?execute or reissue) near4 instruction\$1 near4 loop\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 11:20
S4	18	(replay or re?execute or reissue) near4 (dependent adj1 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 11:38
S5	48	(replay or re?execute or reissue) with (dependent adj1 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 15:53
S6	147	(replay or re?execute or reissue) with dependent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 15:53
S7	67	(replay or re?execute or reissue) near4 dependent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:06
S8	1247	(repeat\$3 or (repeat\$3 adj1 execut\$4) or redo\$3 or rerun\$3 or (execut\$3 adj1 again)) near4 dependent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:08
S9	10	(repeat\$3 or (repeat\$3 adj1 execut\$4) or redo\$3 or rerun\$3 or (execut\$3 adj1 again)) near4 (dependent adj1 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:17
S10	15	(repeat\$3 or (repeat\$3 adj1 execut\$4) or redo\$3 or rerun\$3 or (execut\$3 adj1 again)) with (dependent adj1 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:19
S11	18	(trace adj1 cache\$1) near4 (counter or tim\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:23
S12	1	(trace adj1 cache\$1) near4 dependent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:23
S13	2	(trace adj1 cache\$1) with dependent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:24
S14	30	(trace adj1 cache\$1) with (counter or tim\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:23

S15	13	(trace adj1 cache\$1) same dependent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:30
S16	5	((("6212626") or ("5944818") or ("6205542") or ("5012403") or ("3603934"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:32
S17	2	((("5784587") or ("5966544"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:36
S18	241	(712/214).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:36
S19	416	(712/216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:36
S20	459	(712/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:36
S21	427	(712/218).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:36
S22	287	(712/220).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:37
S23	588	(712/245).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/23 16:37
S24	146	(cache adj1 miss\$2) near4 priorit\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/27 08:48

S25	0	(cache adj1 miss\$2) near4 (instruction adj1 priorit\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/27 08:48
S26	3	(cache adj1 miss\$2) near4 (instruction near4 priorit\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/27 08:50
S27	11	(cache adj1 miss\$2) with (instruction near4 priorit\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/27 08:51
S28	0	(cache adj1 miss\$2) near4 (oldest adj1 instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/27 08:52
S29	0	(cache adj1 miss\$2) near4 (oldest near4 instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/27 08:52
S30	3	(cache adj1 miss\$2) with (oldest near4 instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/27 09:01
S31	75	oldest near4 instruction near4 execution	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/27 09:01
S32	0	(oldest near4 instruction near4 execution) near4 (multiple near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/27 09:02
S33	30	((oldest adj1 instruction\$1) near4 execut\$3) near4 (first or priority)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/27 09:04